



JITENDRA
ELECTRIC VEHICLES

JMT 1000



Range 75 KMPC*



Speed 52 kmph



Digital Smart Cluster



Side Stand Sensor



USB Charging Port



Charging 8 to 10 Hrs*

*T & C Apply

VEHICLE SPECIFICATIONS	
Specification	JMT 1000
Real Range	52-75*
Speed (kmph)	52
Gradability	7 Degree+
Loading Capacity (kg)	150
GVW (kg)	261
CHASSIS SPECIFICATIONS	
Chassis Specification	JMT 1000
Frame Type	Tubular Structure
Tyre Size Front/Rear	Rim: 10", Tyre: 90/90-10
Tyre Type	Tubeless
Suspension (Front/Rear)	Telescopic/Hydraulic
Overall Dimension (L*W*H)	1880*680*1095
Ground Clearance (mm)	165
Brake Type (Front/Rear)	Disc/Drum
EV POWER TRAIN	
EV Power Train Specification	JMT 1000
Motor Type	BLDC Hub
Motor Rated Power	1.07 Kw

BATTERY & CHARGING SPECIFICATIONS	
Battery & Charging	JMT 1000
Battery Type	Lead Graphine
Battery Capacity (Kwh)	1.92
Battery Configuration	60V 32Ah
No. of Batteries	5
Battery Fixed/Detachable	Fixed
Charger Amp	60V 3 Amp
Charging Time	8-10 Hrs
CLUSTER FEATURES	
Cluster Feature	JMT 1000
Digital Segmented Display	Yes
Temperature Indicator	Na
Time Indicator	Na
Fault Finding Indicator	Yes
Maintenance Symbol	Na
Battery % with Bar	Yes
Vehicle Speed Bar	Yes
Trip Meter	Yes
Odometer	Yes
Vehicle Gear/ Speed Mode	Yes
Expected Range	Na

WARRANTY , AVAILABLE COLORS & PRICING

Warranty Type	JMT 1000
Vehicle Warranty	2 Year or 20000 Km on Electric Power Train & Baring above 1 Year or 10000 Km on Vehicle & Charger
Battery Warranty	10 + 2 Months*
Available Colors	White, Black, Grey, Red, Silver
Ex Showroom	65,997/-

Manufactured By:- Jitendra New EV Tech. Pvt. Ltd.

B-88, Arihant Plaza, MIDC, Ambad, Nashik-422010 (MH)

Salesline-7057299999. www.jitendraev.com

Email : info@jitendraev.com Follow Us On:



**Chat on
WhatsApp**